

RT

RECEIVED

APR 17 2009

NJ 07509

AL DEPARTMENT

MONITORING PERIOD					
START			END		
3	1	09	3	31	09
MO	DAY	YR	MO	DAY	YR

VOL DISCHARGED THIS PERIOD	
2257576	GALS
CU. FT X 7.48 = GALLONS	
EFFLUENT METER READING LAST DAY THIS PERIOD	

[illegible][illegible]

SIGNATURE OF PRINCIPAL OR AUTHORIZED AGENT	TYPE NAME AND TITLE	TELEPHONE NUMBER
<i>Dina Spence</i>	DINA SPENCE	973-278-0272
	CONTROLLER	
		DATE <i>4/6/09</i>



# Analytical Report



DINA SPENCE  
CORAL DYEING & FINISHING CORPORATION  
PO BOX 2067  
PATERSON, NJ 07509

## Regarding:

DINA SPENCE  
CORAL DYEING & FINISHING CORPORATION  
555 EAST 31ST  
PATERSON, NJ 07509

Account No: AW0150, CORAL DYEING & FINISHING CORPORATION  
Project No: AW0150, CORAL DYEING & FINISHING CORPORATION

P.O. No:  
PWSID No:

Inv. No: 1077298

Sample Number	Sample Description	Samp. Date/Time/Temp	Sampled by	
L2909333-1	EFFLUENT COMPOSITE Received Temp: 38 F Iced (Y/N): Y	03/11/09 08:00am NA F	Customer Sampled	
Parameter	Method	Result	RLs	Test Date, Time, Analyst
BIOCHEMICAL OXYGEN DEMAND	SM 5210B	883 mg/l	358. mg/l	03/12/09 07:05PM GAP
TOTAL SUSPENDED SOLIDS	SM 2540D	108 mg/l	2.00 mg/l	03/17/09 09:15AM GLE

- A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.
- Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count
- A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
- All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.
- The test "pH lab" is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.
- Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.
- QC NELAP ID's: PA 09-00131, NJ PA166, FL E87954, NY 11223, CT PH-0768, DE PA-018, KY 90228, MD 206, EPA PA00018. Bioassay: PA 09-03574, NJ PA034, FL E87953, KS E10373, SC 89020001.
- QC STATE ID's: Wind Gap, NJ PA001, PA 48-01334; E RUTHERFORD NJ02015; Vineland NJ06005; Reading PA 06-03543.
- All samples are collected as "grab" samples unless otherwise identified.
- MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLS=customer specific permit limits.

Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

*Thomas J. Hines*  
Thomas J. Hines, President





QC Laboratories

## Analytical Report



DINA SPENCE  
CORAL DYEING & FINISHING CORPORATION  
PO BOX 2067  
PATERSON, NJ 07509

## Regarding:

DINA SPENCE  
CORAL DYEING & FINISHING CORPORATION  
555 EAST 31ST  
PATERSON, NJ 07509

Account No: AW0150, CORAL DYEING & FINISHING CORPORATION  
Project No: AW0150, CORAL DYEING & FINISHING CORPORATION

P.O. No:  
PWSID No:

Inv. No: 1078821

Sample Number L2913663-1  
Sample Description EFFLUENT COMPOSITE  
Received Temp: 38 F Iced (Y/N): Y

Samp. Date/Time/Temp 03/18/09 06:15am NA F  
Sampled by Customer Sampled

Parameter	Method	Result	RLs	Test Date, Time, Analyst
BIOCHEMICAL OXYGEN DEMAND	SM 5210B	306 mg/l	55.8 mg/l	03/19/09 08:09PM GAP
TOTAL SUSPENDED SOLIDS	SM 2540D	28.2 mg/l	2.00 mg/l	03/20/09 11:00AM GLE

- A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.  
- Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count  
- A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.  
- All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.  
- The test "pH lab" is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.  
- Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.  
- QC NELAP ID's: PA 09-00131, NJ PA166, FL E87954, NY 11223, CT PH-0768, DE PA-018, KY 90228, MD 206, EPA PA00018. Bioassay: PA 09-03574, NJ PA034, FL E87953, KS E10373, SC 89020001.  
- QC STATE ID's: Wind Gap, NJ PA001, PA 48-01334; E RUTHERFORD NJ02015; Vineland NJ06005; Reading PA 06-03543.  
- All samples are collected as "grab" samples unless otherwise identified.  
- MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLs=customer specific permit limits.  
Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

*Thomas J. Hines*  
Thomas J. Hines, President



<div>QCLaboratories</div> <div>1205 Industrial Blvd. Southampton, PA 18966-0514 Phone: 215-355-3900 Fax: 215-355-7231</div>		<div>CHAIN OF CUSTODY</div> <div>Page _____ of _____</div> <div>Bill to/Report to: (if different)</div>		<div>Lab LIMS No: 2913663</div> <div>MATRIX CODES</div>	
Client/Acct. No. <u>CEPA/ATW/30</u>		Sampling Site Address: (if different)		LAB USE ONLY: # Ascorbic/HCl Vials # HCl Vials # Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> # Na OH/Zn acetate pH # HNO <sub>3</sub> pH # H <sub>2</sub> SO <sub>4</sub> pH # NaOH pH # Unpreserved <u>plax</u> # Hcl pH # Temp control <u>QC</u> ID# <u>DWA icl</u>	
City/State/Zip		P.O. No.		SOL: NON SOIL SOLID MI: MISCELLANEOUS X: OTHER	
Phone/Fax		QC Contact		Field pH, Temp (C or F), DO, Cl <sub>2</sub> , S. Cond. etc.	
Client Contact		Collection		ANALYSIS REQUESTED	
PROJECT		Date		BOD <sub>5</sub> 155	
FIELD ID		Military Time			
Date		Matrix Code			
Total		Number of Containers			
3-18-09 3:18 PM		H H V H N Z U B C C A M A B P 1 1 1 1 1 1 1 1			
Verbal/fax data due: 3-18-09 1450		Report Format: <input type="checkbox"/> Standard <input type="checkbox"/> Forms		Field Parameters Analyzed By:	
Hardcopy due: 3-18-09 1700		<input type="checkbox"/> Standard + QC <input type="checkbox"/> NJ Reduced <input type="checkbox"/> Disk		Date/Time:	
Please call for pricing and availability on rush (<14-21 day) turnaround and on all but standard format.					
SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW. USE FULL LEGAL SIGNATURE, DATE AND MILITARY TIME (24 HOUR CLOCK, I.E. 8AM IS 0800, 4 PM IS 1600)					
RELINQUISHED BY SAMPLER		RECEIVED BY		DELIVERY METHOD: <input type="checkbox"/> QC COURIER <input type="checkbox"/> CLIENT	
1 SFS	DATE 3-18-09 TIME 1450	1 <u>[Signature]</u>	DATE 3/18/09 TIME 1450	<input type="checkbox"/> UPS <input type="checkbox"/> FEDEX <input type="checkbox"/> OTHER	
RELINQUISHED BY	DATE 3/18/09 TIME 1700	2 <u>[Signature]</u>	DATE 3/18/09 TIME 1700	COMMENTS:	
RELINQUISHED BY	DATE 3-18-09 TIME 1920	3 <u>[Signature]</u>	DATE 3/18/09 TIME 1920		
RELINQUISHED BY	DATE	4	DATE		
RELINQUISHED BY	DATE	5	DATE		
SIGNED BY: (Name/Company) SFS/CEPA/ATW		RECEIVED BY		Hazardous: yes / no	

**For example to aid completion, see reverse side.**

350 F | AT | CAR | # cen



QC Laboratories

## Analytical Report



DINA SPENCE  
CORAL DYEING & FINISHING CORPORATION  
PO BOX 2067  
PATERSON, NJ 07509

## Regarding:

DINA SPENCE  
CORAL DYEING & FINISHING CORPORATION  
555 EAST 31ST  
PATERSON, NJ 07509

Account No: AWO150, CORAL DYEING & FINISHING CORPORATION  
Project No: AWO150, CORAL DYEING & FINISHING CORPORATION

P.O. No:  
PWSID No:

Inv. No: 1079819

Sample Number	Sample Description	Samp. Date/Time/Temp	Sampled by
L2922325-1	EFFLUENT COMPOSITE	03/24/09 12:00pm NA F	Customer Sampled
Received Temp: 36 F Iced (Y/N): Y			
Parameter	Method	Result	RLs
BIOCHEMICAL OXYGEN DEMAND	SM 5210B	165 mg/l	37.5 mg/l
TOTAL SUSPENDED SOLIDS	SM 2540D	69.0 mg/l	2.00 mg/l
		Test Date, Time, Analyst	
		03/25/09 06:16PM	GAP
		03/26/09 10:30AM	GLE

- A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.
  - Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count
  - A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.
  - All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.
  - The test "pH lab" is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.
  - Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.
  - QC NELAP ID's: PA 09-00131, NJ PA166, FL E87954, NY 11223, CT PH-0768, DE PA-018, KY 90228, MD 206, EPA PA00018. Bioassay: PA 09-03574, NJ PA034, FL E87953, KS E10373, SC 89020001.
  - QC STATE ID's: Wind Gap, NJ PA001, PA 48-01334; E RUTHERFORD NJ02015; Vineland NJ06005; Reading PA 06-03543.
  - All samples are collected as "grab" samples unless otherwise identified.
  - MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLS=customer specific permit limits.
- Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

*Thomas J. Hines*  
Thomas J. Hines, President

For example to aid completion, see reverse side.

N. J. TELEPHONE  
(973) 278-0272  
(973) 278-0276

N. Y. C. TELEPHONE  
(212) 736-4364  
FAX NUMBER  
(973) 278-9490

# *Coral Dyeing & Finishing Corp.*

555 EAST 31ST STREET  
POST OFFICE BOX 2067  
PATERSON, NEW JERSEY 07509

4/16/2009

PASSAIC VALLEY SEWERAGE  
600 WILSON AVE.  
NEWARK, NJ 07105  
TEL.: 973-817-5714  
FAX: 973-344-4876

Dear Bruce,

As of today I did not receive water bill for the month of March 2009.

Reading from water meter:

2/28/2009	772585
3/31/2009	804355
	<hr/>
	31770

Total water consumption for March 2009	<b><u>31770</u></b>
--	---------------------

Thank you.

Yours truly,  
Dina Spence - Controller





QC Laboratories

## Analytical Report



DINA SPENCE  
CORAL DYEING & FINISHING CORPORATION  
PO BOX 2067  
PATERSON, NJ 07509

Regarding:

DINA SPENCE  
CORAL DYEING & FINISHING CORPORATION  
555 EAST 31ST  
PATERSON, NJ 07509

Account No: AW0150, CORAL DYEING & FINISHING CORPORATION  
Project No: AW0150, CORAL DYEING & FINISHING CORPORATION

P.O. No:  
PWSID No:

Inv. No: 1075872

Sample Number L2903257-1  
Sample Description EFFLUENT COMPOSITE  
Received Temp: 35 F Iced (Y/N): Y

Samp. Date/Time/Temp 03/04/09 08:00am NA F  
Sampled by Customer Sampled

Parameter	Method	Result	RLs	Test Date, Time, Analyst
CADMIUM	EPA 200.7	ND mg/l	0.00400 mg/l	03/11/09 06:27AM B B
COPPER	EPA 200.7	3.37 mg/l	0.00300 mg/l	03/11/09 06:27AM B B
NICKEL	EPA 200.7	0.0136 mg/l	0.0100 mg/l	03/11/09 06:27AM B B
LEAD	EPA 200.7	0.0615 mg/l	0.00500 mg/l	03/11/09 06:27AM B B
ZINC	EPA 200.7	0.554 mg/l	0.00500 mg/l	03/11/09 06:27AM B B
MERCURY	EPA 245.1	ND mg/l	0.000200 mg/l	03/12/09 05:56PM CMC
BIOCHEMICAL OXYGEN DEMAND	SM 5210B	46.5 mg/l	15.1 mg/l	03/05/09 06:06PM GAP
TOTAL SUSPENDED SOLIDS	SM 2540D	86.8 mg/l	2.00 mg/l	03/06/09 10:00AM GLE

- A result of "ND" indicates the concentration of the analyte tested was either not detected or below the RLs.  
- Definitions: ND=not detected; NEG=negative; POS=positive; COL=colonies; RLs=laboratory reporting limits; L/A=laboratory accident; TNTC=too numerous to count  
- A result marked with "DRY" indicates that the result was calculated and reported on a dry weight basis.  
- All analysis, except field tests are conducted in Southampton, PA unless otherwise identified.  
- The test "pH lab" is analyzed upon receipt at the laboratory, the result will not be suitable for regulatory purposes.  
- Actual times of analysis for parameters reported <24 hrs are available upon request. All testing is completed within the required holding time unless otherwise noted.  
- QC NELAP ID's: PA 09-00131, NJ PA166, FL E87954, NY 11223, CT PH-0768, DE PA-018, KY 90228, MD 206, EPA PA00018. Bioassay: PA 09-03574, NJ PA034, FL E87953, KS E10373, SC 89020001.  
- QC STATE ID's: Wind Gap, NJ PA001, PA 48-01334; E RUTHERFORD NJ02015; Vineland NJ06005; Reading PA 06-03543.  
- All samples are collected as "grab" samples unless otherwise identified.  
- MCL= is the EPA recommended "maximum contaminant level" for a parameter. PLS=customer specific permit limits.  
Regulatory authorities are assessing substantial fines for testing omissions. Please track your sample collections and results on a weekly, monthly, or quarterly basis to ensure compliance. QC's internet program 'LIVE ACCESS' will provide you with real-time access to collection dates and results. Please contact Customer Service for further information on acquiring LIVE ACCESS.

*Thomas J. Hines*  
Thomas J. Hines, President

<b>QC Laboratories</b> 1205 Industrial Blvd. Southampton, PA 18966-0514 Phone: 215-355-3900 Fax: 215-355-7331		<b>CHAIN OF CUSTODY</b> Page <u>1</u> of <u>1</u> Bill to/Report to: (if different) _____ Sampling Site Address: (if different) _____ City/State/Zip _____ Phone/Fax _____ Client Contact _____		Lab LIMS No: <u>L2903257</u> <b>LAB USE ONLY:</b> # _____ Ascorbic/HCl Vials # _____ HCl Vials # _____ Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> _____ # _____ Na OH/Zn acetate pH _____ # <u>1</u> HNO <sub>3</sub> pH <u>12</u> # _____ H <sub>2</sub> SO <sub>4</sub> pH _____ # _____ NaOH pH _____ # <u>1</u> Unpreserved _____ # _____ HCl pH _____ # _____ Temp control _____ <b>ANALYSIS REQUESTED</b> <u>Ballistics, Cu, Ni, Pb, Zn</u>		<b>MATRIX CODES</b> DW: DRINKING WATER GW: GROUND WATER WW: WASTEWATER SO: SOIL SL: SLUDGE OIL: OIL SOL: NON SOIL SOLID MI: MISCELLANEOUS X: OTHER			
PROJECT <b>FIELD ID</b> <u>FFV100X Composite</u>		Collection Date <u>3-4-09</u> Military Time <u>1400</u> QC Contact _____		Number of Containers Matrix Code Total <u>2</u>		Report Format: <input type="checkbox"/> Standard <input type="checkbox"/> Forms <input type="checkbox"/> Standard + QC <input type="checkbox"/> NU Reduced <input type="checkbox"/> Disk			
SAMPLER BY: (Name/Company) <u>Client</u>		Verbal/fax data due: _____ Hardcopy due: _____ Please call for pricing and availability on rush (<14-21 day) turnaround and on all but standard format.		Field Parameters Analyzed By: _____ Date/Time: _____		Custody Seal Number: <u>23101109</u>			
SAMPLED BY: (Name/Company) <u>Client</u>		RECEIVED BY 1. <u>3-4-09 1400</u> 2. <u>3-4-09 1400</u> 3. <u>3-4-09 1400</u> 4. _____ 5. _____		DATE <u>3-4-09</u> <u>3-4-09</u> <u>3-4-09</u> _____ _____ TIME <u>1400</u> <u>1400</u> <u>1400</u> _____ _____ DELIVERY METHOD: <input type="checkbox"/> QC COURIER <input type="checkbox"/> FEDEX <input type="checkbox"/> OTHER		COMMENTS: <u>207</u>			
RELINQUISHED BY 1. <u>3-4-09 1400</u> 2. <u>3-4-09 1400</u> 3. <u>3-4-09 1400</u> 4. _____ 5. _____		DATE <u>3-4-09</u> <u>3-4-09</u> <u>3-4-09</u> _____ _____ TIME <u>1400</u> <u>1400</u> <u>1400</u> _____ _____ RELINQUISHED BY 1. <u>3-4-09 1400</u> 2. <u>3-4-09 1400</u> 3. <u>3-4-09 1400</u> 4. _____ 5. _____		DATE <u>3-4-09</u> <u>3-4-09</u> <u>3-4-09</u> _____ _____ TIME <u>1400</u> <u>1400</u> <u>1400</u> _____ _____ RELINQUISHED BY 1. <u>3-4-09 1400</u> 2. <u>3-4-09 1400</u> 3. <u>3-4-09 1400</u> 4. _____ 5. _____		DATE <u>3-4-09</u> <u>3-4-09</u> <u>3-4-09</u> _____ _____ TIME <u>1400</u> <u>1400</u> <u>1400</u> _____ _____ RELINQUISHED BY 1. <u>3-4-09 1400</u> 2. <u>3-4-09 1400</u> 3. <u>3-4-09 1400</u> 4. _____ 5. _____		DATE <u>3-4-09</u> <u>3-4-09</u> <u>3-4-09</u> _____ _____ TIME <u>1400</u> <u>1400</u> <u>1400</u> _____ _____ RELINQUISHED BY 1. <u>3-4-09 1400</u> 2. <u>3-4-09 1400</u> 3. <u>3-4-09 1400</u> 4. _____ 5. _____	